

LifePak<sup>®</sup> Prime

Abdulla, M., Behbehani, A., and Dashti, H. Dietary intake and bioavailability of trace elements. *Biol.Trace Elem.Res.* 21, 173-178. 1989.

Acuff RV, Thedford SS, Hidioglou NN, Papas AM, Odom TAJ. Relative bioavailability of RRR- and all-rac-alpha-tocopheryl acetate in humans: studies using deuterated compounds. *Am.J.Clin.Nutr.* 1994;60:397-402.

Acuff, R. V., Thedford, S. S., Hidioglou, N. N., Papas, A. M., and Odom Jr, T. A. Relative bioavailability of RRR- and all-rac-alpha-tocopheryl acetate in humans: studies using deuterated compounds. *Am.J.Clin.Nutr.* 60, 397-402. 1994.

Agarwal S, Rao AV. Tomato lycopene and low density lipoprotein oxidation: A human dietary intervention study. *Lipids* 1998;33:981-4.

Albertson AM, Tobelmann RC, Engstrom A, Asp EH. Nutrient intakes of 2- to 10-year-old American children: 10-year trends. *J.Am.Diet.Assoc.* 1992;92:1492-6.

Ali SM, Chakraborty SK. Role of plasma ascorbate in diabetic microangiopathy. *Bangladesh.Med Res Counc.Bull.* 1989;15:47-59.

Ames BN, Shigenaga MK, Hagen TM. Oxidants, antioxidants, and the degenerative diseases of aging. *Proc.Natl.Acad.Sci.U.S.A.* 1993;90:7915-22.

Ames BN. Micronutrient deficiencies - A major cause of DNA damage. *Ann.NY Acad.Sci.* 1999;889:87-106.

Ames BN. Micronutrients prevent cancer and delay aging. *Toxicol.Lett.* 1998;102-103:5-18:5-18.

Andersen P, Godal HC. Predictable reduction in anticoagulant activity of warfarin by small amounts of vitamin K. *Acta Med Scand* 1975;198:269-70.

Anderson JW, Gowri MS, Turner J et al. Antioxidant supplementation effects on low-density lipoprotein oxidation for individuals with type 2 diabetes mellitus. *J.Am.Coll.Nutr.* 1999;18:451-61.

Anderson RA, Bryden NA, Polansky MM. Dietary chromium intake. Freely chosen diets, institutional diet, and individual foods. *Biol Trace Elem Res* 1992;32:117-21.

Anderson RA, Bryden NA, Polansky MM. Dietary intake of calcium, chromium, copper, iron, magnesium, manganese, and zinc: duplicate plate values corrected using derived nutrient intake. *J Am Diet Assoc* 1993;93:462-4.

Anderson RA, Cheng NZ, Bryden NA et al. Elevated intakes of supplemental chromium

improve glucose and insulin variables in individuals with type 2 diabetes. *Diabetes* 1997;46:1786-91.

Anderson RA, Kozlovsky AS. Chromium intake, absorption and excretion of subjects consuming self-selected diets. *Am.J.Clin.Nutr.* 1985;41:1177-83.

Anderson RA. Chromium, glucose intolerance and diabetes. *J.Am.Coll.Nutr.* 1998;17:548-55.

Anderson, R. A., Polansky, M. M., Bryden, N. A., and Canary, J. J. Supplemental-chromium effects on glucose, insulin, glucagon, and urinary chromium losses in subjects consuming controlled low- chromium diets. *Am.J.Clin.Nutr.* 54(5), 909-916. 1991.

Androne L, Gavan NA, Veresiu IA, Orasan R. In vivo effect of lipoic acid on lipid peroxidation in patients with diabetic neuropathy. *In Vivo* 2000;14:327-30.

Anonymous. The milk thistles. *Lawrence Review of Natural Products* 1985;6(January):1-3.

Arab L, Steck S. Lycopene and cardiovascular disease. *Am.J.Clin.Nutr.* 2000;71:1691S-5S.

Armstrong AM, Chestnutt JE, Gormley MJ, Young IS. The effect of dietary treatment on lipid peroxidation and antioxidant status in newly diagnosed noninsulin dependent diabetes. *Free Radical Biol Med* 1996;21:719-26.

Arnesen E, Refsum H, Bonna KH, Ueland PM, Forde OH, Nordrehaug JE. Serum total homocysteine and coronary heart disease. *Int.J Epidemiol* 1995;24:704-9.

Awata N, Ishiyama T, Harad H, Sawamura A, Ogura K, Tanimoto T, Azuma J, Hasegawa H, Morita Y, and Yamamura Y, The effect of coenzyme Q10 on ischemic heart disease evaluated by dynamic exercise test, in *Biomedical and Clinical Aspects of Coenzyme Q*, Vol. 2, Yamamura Y., Folkers K, and Ito Y, Eds, Elsevier/North Holland, Amsterdam, 1980, 247.

Azen SP, Qian DJ, Mack WJ et al. Effect of supplementary antioxidant vitamin intake on carotid arterial wall intima-media thickness in a controlled clinical trial of cholesterol lowering. *Circulation* 1996;94:2369-72.

Baghurst KI, Record SJ. The vitamin and mineral intake of a free-living young elderly Australian population in relation to total diet and supplementation practices. *Hum.Nutr Appl.Nutr* 1987;41:327-37.

Baik HW, Russell RM. Vitamin B12 deficiency in the elderly. *Annu.Rev.Nutr.* 1999;19:357-77.

Bates CJ, Pentieva KD, Prentice A, Mansoor MA, Finch S. Plasma pyridoxal phosphate and pyridoxic acid and their relationship to plasma homocysteine in a representative sample of British men and women aged 65 years and over. *Br.J.Nutr.* 1999;81:191-201.

Bauer U. Six-month double-blind randomised clinical trial of Ginkgo biloba extract versus placebo in two parallel groups in patients suffering from peripheral arterial insufficiency. *Arzneimittelforschung [Drug Research]* 1984;34:716-20.

Beck MA. Nutritionally induced oxidative stress: effect on viral disease. *Am.J.Clin.Nutr.* 2000;71:1676S-9S.

Belda JI, Romá J, Vilela C et al. Serum vitamin E levels negatively correlate with severity of age-related macular degeneration. *Mech Ageing Dev* 1999;107:159-64.

Bendich A, Langseth L. The health effects of vitamin C supplementation: A review. *J.Am.Coll.Nutr.* 1995;14:124-36.

Bendich A. Beta-carotene and immune response. *Proc.Nutr.Soc.* 1991;50:263-74.

Benton D, Haller J, Fordy J. The vitamin status of young British adults. *Int J Vitam.Nutr Res* 1997;67:34-40.

Berendschot TTJM, Goldbohm RA, Klöpping WAA, Van de Kraats J, Van Norel J, Van Norren D. Influence of lutein supplementation on macular pigment, assessed with two objective techniques. *Invest.Ophthalmol.Vis.Sci.* 2000;41:3322-6.

Berry RJ, Li Z, Erickson JD et al. Prevention of neural-tube defects with folic acid in China. *N.Engl.J.Med.* 1999;341:1485-90.

Beyer RE. The role of ascorbate in antioxidant protection of biomembranes: Interaction with vitamin E and coenzyme Q. *J.Bioenerg.Biomembr.* 1994;26:349-58.

Biewenga GP, Haenen GR, BAST A. The role of lipoic acid in the treatment of diabetic polyneuropathy. *Drug Metab.Rev.* 1997;29:1025-54.

Binkley NC, Suttie JW. Vitamin K nutrition and osteoporosis. *J.Nutr.* 1995;125:1812-21.

Block G, Abrams B. Vitamin and mineral status of women of childbearing potential. *Ann.N.Y.Acad.Sci.* 1993;678:244-54.

Block G. Dietary guidelines and the results of food consumption surveys. *Am.J Clin.Nutr.* 1991;53:356S-7S.

Blostein-Fujii A, DiSilvestro RA, Frid D, Katz C, Malarkey W. Short-term zinc supplementation in women with non-insulin-dependent diabetes mellitus: Effects on plasma 5'-nucleotidase activities, insulin-like growth factor concentrations, and

lipoprotein oxidation rates in vitro. *Am.J.Clin.Nutr.* 1997;66:639-42.

Bogden JD, Bendich A, Kemp FW et al. Daily micronutrient supplements enhance delayed-hypersensitivity skin test responses in older people. *Am.J Clin.Nutr.* 1994;60:437-47.

Bone RA, Landrum JT, Dixon Z, Chen Y, Llerena CM. Lutein and zeaxanthin in the eyes, serum and diet of human subjects. *Exp.Eye Res.* 2000;71:239-45.

Booth SL, Charnley JM, Sadowski JA, Saltzman E, Bovill EG, Cushman M. Dietary vitamin K-1 and stability of oral anticoagulation: Proposal of a diet with constant vitamin K-1 content. *Thrombosis and Haemostasis* 1997;77:504-9.

Borcea V, Nourooz-Zadeh J, Wolff SP et al. ?alpha-lipoic acid decreases oxidative stress even in diabetic patients with poor glycemic control and albuminuria. *Free Radic.Biol.Med.* 1999;26:1495-500.

Bouillon RA, Auwerx JH, Lissens WD, Pelemans WK. Vitamin D status in the elderly: seasonal substrate deficiency causes 1,25-dihydroxycholecalciferol deficiency. *Am.J.Clin.Nutr.* 1987;45:755-63.

Braquet P, Spinnewyn B, Braquet M, et al. BN 52021 and related compounds: A new series of highly specific PAF-acether receptor antagonists isolated from the Ginkgo biloba. *Blood Vessels* 1985;16:559 -572.

Brattström L, Zhang Y, Hurtig M et al. A common methylenetetrahydrofolate reductase gene mutation and longevity. *Atherosclerosis* 1998;141:315-9.

Bravo L. Polyphenols: Chemistry, dietary sources, metabolism, and nutritional significance. *Nutrition reviews* 1998;56:317-33.

Breslow RA, Subar AF, Patterson BH, Block G. Trends in food intake: The 1987 and 1992 National Health Interview Surveys. *Nutr.Cancer* 1997;28:86-92.

Brignola C, Belloli C, De Simone G, et al. Zinc supplementation restores plasma concentrations of zinc and thymulin in patients with Crohn's disease. *Aliment.Pharmacol.Ther.* 1993;7:275-80.

Bronner F. Calcium and osteoporosis. *Am.J.Clin.Nutr.* 1994;60:831-6.

Brönstrup A, Hages M, Prinz-Langenohl R, Pietrzik K. Effects of folic acid and combinations of folic acid and vitamin B-12 on plasma homocysteine concentrations in healthy, young women. *Am.J.Clin.Nutr.* 1998;68:1104-10.

Brouwer, I. A., van Duseldorp, M., Thomas, C. M. G., Duran, M., and Et Al. Low-dose folic acid supplementation decreases plasma homocysteine concentrations: a randomized

trial. *Am.J.Clin.Nutr.* 69, 99-104. 1999.

Brown L, Rimm EB, Seddon JM et al. A prospective study of carotenoid intake and risk of cataract extraction in US men. *Am.J.Clin.Nutr.* 1999;70:517-24.

Brown RO, Forloines-Lynn S, Cross RE, Heizer WD. Chromium deficiency after long-term total parenteral nutrition. *Dig.Dis.Sci.* 1986;31:661-4.

Bruchert E, Heinrich SE, Ruf-Kohler P. Efficacy of LI 1370 in elderly patients with cerebral insufficiency: multicentric double-blind trial. *Munchener Medizinische Wochenschrift.* 1991;133:S9-514.

Brun J-F, Guintrand-Hugret R, Fons C et al. Effects of oral zinc gluconate on glucose effectiveness and insulin sensitivity in humans. *Biol.Trace Elem.Res.* 1995;47:385-92.

Bundes A. Ginkgo biloba leaves: *Bundes Anzeiger*, 1994.

Burton, G. W., Traber, M. G., Acuff, R. V., Walters, D. N., Kayden, H., Hughes, L., and Ingold, K. U. Human plasma and tissue alpha-tocopherol concentrations in response to supplementation with deuterated natural and synthetic vitamin E. *Am.J.Clin.Nutr.* 67(4), 669-684. 1998.

Cai QY, Rahn RO, Zhang RW. Dietary flavonoids, quercetin, luteolin and genistein, reduce oxidative DNA damage and lipid peroxidation and quench free radicals. *Cancer Letters* 1997;119:99-107.

Calzada C, Bruckdorfer KR, Rice-Evans CA. The influence of antioxidant nutrients on platelet function in healthy volunteers. *Atherosclerosis* 1997;128:97-105.

Cappuccio FP, Elliott P, Allender PS, Pryer J, Follman DA, Cutler JA. Epidemiologic association between dietary calcium intake and blood pressure: A meta-analysis of published data. *Am.J.Epidemiol.* 1995;142:935-45.

Carlisle EM. Silicon as a trace nutrient. *Sci.Total.Environ.* 1988;73:95-106.

Carmel R. Current concepts in cobalamin deficiency. *Annu.Rev.Med.* 2000;51:357-75.

Carpenter KLH, Cheeseman KH, Van der Veen C, Taylor SE, Walker MK, Mitchinson MJ. Depletion of alpha-tocopherol in human atherosclerotic lesions. *Free Radic.Res.* 1995;23:549-58.

Carr AC, Zhu BZ, Frei B. Potential antiatherogenic mechanisms of ascorbate (vitamin C) and alpha-tocopherol (vitamin E). *Circ.Res.* 2000;87:349-54.

Ceriello A, Giugliano D, Quatraro A, Donzella C, Dipalo G, Lefebvre PJ. Vitamin E reduction of protein glycosylation in diabetes. New prospect for prevention of diabetic

complications? *Diabetes Care* 1991;14:68-72.

Chakraborty SK. Plasma ascorbate status in newly diagnosed diabetics exhibiting retinopathy--a finding that alarms. *Bangladesh.Med Res Counc.Bull.* 1992;18:30-5.

Chan AC. Vitamin E and atherosclerosis. *J.Nutr.* 1998;128:1593-6.

Chandra RK. Nutrition and the immune system: An introduction. *Am.J.Clin.Nutr.* 1997;66:460S-3S.

Chasan-Taber L, Willett WC, Seddon JM et al. A prospective study of carotenoid and vitamin A intakes and risk of cataract extraction in US women. *Am.J.Clin.Nutr.* 1999;70:509-16.

Chausmer AB. Zinc, insulin and diabetes. *J Am Coll Nutr* 1998;17:109-15.

Chavance M, Herbeth B, Fournier C, Janot C, Vernhes G. Vitamin status, immunity and infections in an elderly population. *Eur.J Clin Nutr* 1989;43:827-35.

Cheng NZ, Zhu XX, Shi HL et al. Follow-up survey of people in China with type 2 diabetes mellitus consuming supplemental chromium. *J.Trace Elem.Exp.Med.* 1999;12:55-60.

Chevion S, Hofmann M, Ziegler R, Chevion M, Nawroth PP. The antioxidant properties of thiocotic acid: Characterization by cyclic voltammetry. *Biochem.Mol.Biol.Int.* 1997;41:317-27.

Chiechi LM. Dietary phytoestrogens in the prevention of long-term postmenopausal diseases. *Int.J.Gynecol.Obstet.* 1999;67:39-40.

Chiu C-P, Hsieh K-H. Pulmonary response to platelet-activating factor (PAF) and PAF antagonist BN 52021 in allergic asthmatic children. In: Braquet P, ed. *Ginkgolides-Chemistry, Biology, Pharmacology and Clinical Perspectives* Barcelona, Spain: J. R. Prous Science Publishers, S. A., 1989;877- 878.

Chiu KM. Efficacy of calcium supplements on bone mass in postmenopausal women. *J.Gerontol.[A]* 1999;54:M275-M280.

Chopra M, O'Neill ME, Keogh N, Wortley G, Southon S, Thurnham DI. Influence of increased fruit and vegetable intake on plasma and lipoprotein carotenoids and LDL oxidation in smokers and nonsmokers. *Clinical Chemistry* 2000;46:1818-29.

Clementz GL, Schade SG. The spectrum of vitamin B12 deficiency. *Am Fam.Physician* 1990;41:150-62.

Collins AR, Olmedilla B, Southon S, Granado F, Duthie SJ. Serum carotenoids and

oxidative DNA damage in human lymphocytes. *Carcinogenesis* 1998;19:2159-62.

Cooke MS, Evans MD, Podmore ID et al. Novel repair action of vitamin C upon in vivo oxidative DNA damage. *FEBS Lett.* 1998;439:363-7.

Costello RB, Moser-Veillon PB. A review of magnesium intake in the elderly. A cause for concern? *Magnes.Res.* 1992;5:61-7.

Cunningham JJ, Mearkle PL, Brown RG. Vitamin C: An aldose reductase inhibitor that normalizes erythrocyte sorbitol in insulin-dependent diabetes mellitus. *J.Am.Coll.Nutr.* 1994;13:344-50.

Cunningham JJ. Micronutrients as nutraceutical interventions in diabetes mellitus. *J.Am.Coll.Nutr.* 1998;17:7-10.

Cunningham JJ. The glucose/insulin system and vitamin C: implications in insulin-dependent diabetes mellitus. *J Am Coll Nutr* 1998;17:105-8.

Cutler RG. Antioxidants and aging. *Am.J.Clin.Nutr.* 1991;53:373S-9S.

D'Ambrosio E, Casa B, Bomponi R, Scall M. Glucosamine sulphate: a controlled clinical investigation in arthrosis. *Pharmatherapeutica* 1981;8:504-8.

Da Camara CC, Dowless GV. Glucosamine sulfate for osteoarthritis. *Annals of Pharmacotherapy* 1998;32:580-7.

Daly S, Mills JL, Molloy AM et al. Minimum effective dose of folic acid for food fortification to prevent neural-tube defects. *Lancet* 1997;350:1666-9.

Danks DM. Copper deficiency in humans. *Ann.Rev.Nutr.* 1988;8:235-57.

Davey PJ, Schulz M, Gliksman M, Dobson M, Aristides M, Stephens NG. Cost-effectiveness of vitamin E therapy in the treatment of patients with angiographically proven coronary narrowing (CHAOS trial). *Am.J.Cardiol.* 1998;82:414-7.

De Flora S, Cesarone CF, Balansky RM et al. Chemopreventive properties and mechanisms of N-acetylcysteine. The experimental background. *J.Cell.Biochem.* 1995;58 Suppl. 22:33-41.

De La Fuente M, Ferrández MD, Burgos MS, Soler A, Prieto A, Miquel J. Immune function in aged women is improved by ingestion of vitamins C and E. *Can.J.Physiol.Pharmacol.* 1998;76:373-80.

De Rosa SC, Zaretsky MD, Dubs JG et al. N-acetylcysteine replenishes glutathione in HIV infection. *Eur.J.Clin.Invest.* 2000;30:915-29.

DeFeudis F. Ginkgo biloba Extract (EGb 761): Pharmacological Activities and Clinical Applications. Paris: Elsevier, 1991.

Delcourt C, Cristol JP, Tessier F et al. Age-related macular degeneration and antioxidant status in the POLA study. Arch.Ophthalmol. 1999;117:1384-90.

Delvin EE, Imbach A, Copti M. Vitamin D nutritional status and related biochemical indices in an autonomous elderly population. Am.J.Clin.Nutr. 1988;48:373-8.

Devaraj S, Jialal I. The effects of alpha-tocopherol on critical cells in atherogenesis. Curr.Opin.Lipidol. 1998;9:11-5.

Devasagayam TP, Subramanian M, Pradhan DS, Sies H. Prevention of singlet oxygen-induced DNA damage by lipoate. Chem.Biol.Interact. 1993;86:79-92.

Diamond T, Smerdely P, Kormas N, Sekel R, Vu T, Day P. Hip fracture in elderly men: the importance of subclinical vitamin D deficiency and hypogonadism. Med J Aust. 1998;169:138-41.

Diaz MN, Frei B, Vita JA, Keaney JFJ. Antioxidants and atherosclerotic heart disease. N.Engl.J Med 1997;337:408-16.

Dierkes J, Kroesen M, Pietrzik K. Folic acid and Vitamin B6 supplementation and plasma homocysteine concentrations in healthy young women. Int.J Vitam.Nutr Res 1998;68:98-103.

Ding WJ, Chai ZF, Duan P, Feng WY, Qian QF. Serum and urine chromium concentrations in elderly diabetics. Biological Trace Element Research 1998;63:231-7.

D'Odorico A, Martines D, Kiechl S et al. High plasma levels of alpha- and beta-carotene are associated with a lower risk of atherosclerosis - Results from the Bruneck study. Atherosclerosis 2000;153:231-9.

Dowd P, Ham S-W, Naganathan S, Hershline R. The mechanism of action of vitamin K. Annu.Rev.Nutr. 1995;15:419-40.

Dragsted LO, Strube M, Leth T. Dietary levels of plant phenols and other non-nutritive components: Could they prevent cancer? Eur.J.Cancer Prev.1997;6:522-8.

Dreosti IE. Nutrition, cancer, and aging. Ann.NY Acad.Sci. 1998;854:371-7.

Driskell JA, Clark AJ, Bazzarre TL et al. Vitamin B-6 status of southern adolescent girls. J Am Diet Assoc 1985;85:46-9.

Duntas L, Kemmer TP, Vorberg B, Scherbaum W. Administration of d-alpha-tocopherol

in patients with insulin-dependent diabetes mellitus.

Dupre JN, Keenan MJ, Hegsted M, Brudevold AM. Effects of dietary boron in rats fed a vitamin D-deficient diet. *Environ.Health Perspect.* 1994;102 Suppl 7:55-8.

Durlach J, Bac P, Bara M, Guiet-Bara A. Cardiovasoprotective foods and nutrients: possible importance of magnesium intake. *Magnes.Res.* 1999;12:57-61.

Durlach J, Bac P, Durlach V, Rayssiguier Y, Bara M, Guiet-Bara A. Magnesium status and ageing: An update. *Magnes.Res.* 1998;11:25-42.

Durlach J, Durlach V, Bac P, Rayssiguier Y, Bara M, Guiet-Bara A. Magnesium and ageing. II. Clinical data: Aetiological mechanisms and pathophysiological consequences of magnesium deficit in the elderly. *Magnes.Res.* 1993;6:379-94.

Duthie SJ, Collins AR, Duthie GG, Dodson VL. Quercetin and myricetin protect against hydrogen peroxide-induced DNA damage (strand breaks and oxidised pyrimidines) in human lymphocytes. *Mutat.Res.Genet.Toxicol.Environ.Mutagen.* 1997;393:223-31.

Duthie SJ, Ma A, Ross MA, Collins AR. Antioxidant supplementation decreases oxidative DNA damage in human lymphocytes. *Cancer Res.* 1996;56:1291-5.

Effect of vitamin and trace element supplementation on immune indices in healthy elderly. *Am.J Clin.Nutr.* 1991;53:90-4.

Elfenbein L, Young A, Petition for CoQ10. Prepared for: The CoQ10 coalition, 1 October 1994.

el-Yazigi A, Hannan N, Raines DA. Effect of diabetic state and related disorders on the urinary excretion of magnesium and zinc in patients. *Diabetes Res* 1993;22:67-75.

Enstrom JE, Kanim LE, Klein MA. Vitamin C intake and mortality among a sample of the United States population. *Epidemiology* 1992;3:194-202.

Erickson KL, Medina EA, Hubbard NE. Micronutrients and innate immunity. *J.Infect.Dis.* 2000;182:S5-S10.

Eriksson J, Kohvakka A. Magnesium and ascorbic acid supplementation in diabetes mellitus. *Ann.Nutr.Metab.* 1995;39:217-23.

Ernst E, Pittler MH. Ginkgo biloba for dementia: A systematic review of double-blind, placebo-controlled trials. *Clinical Drug Investigation* 1999;4:301-308.

Esterbauer H, Striegl G, Puhl H et al. The role of vitamin E and carotenoids in preventing oxidation of low density lipoproteins. *Ann.N.Y.Acad.Sci.* 1989;570:254-67.

- Ferland G. The vitamin K-dependent proteins: an update. *Nutr Rev* 1998;56:223-30.
- Ferslew KE, Acuff RV, Daigneault EA, Woolley TW, Stanton PEJ. Pharmacokinetics and bioavailability of the RRR and all racemic stereoisomers of alpha-tocopherol in humans after single oral administration. *J Clin Pharmacol.* 1993;33:84-8.
- Fleming KH, Heimbach JT. Consumption of calcium in the U.S.: Food sources and intake levels. *J.Nutr.* 1994;124 Suppl.:1426S-30S.
- Folkers K, Morita M, McRee J, Jr. The activities of coenzyme Q10 and vitamin B6 for immune responses. *Biochem.Biophys.Res.Commun.* 1993;193:88-92.
- Folkers KI, Yamamura Y, Biomedical and Clinical Aspects of Coenzyme Q, Eds., Elsevier/North-Holland, Amsterdam, 1981, p.235.
- Folsom AR, Nieto FJ, McGovern PG et al. Prospective study of coronary heart disease incidence in relation to fasting total homocysteine, related genetic polymorphisms, and B vitamins: the Atherosclerosis Risk in Communities (ARIC) study. *Circulation* 1998;98:204-10.
- Food and Nutrition Board and Institute of Medicine. Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium and Carotenoids. (Advance Copy). 2000. Washington, D.C., National Academy Press.
- Food and Nutrition Board and Institute of Medicine. Dietary Reference Intakes: Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride. Prepublication Copy. 1997. Washington, D.C., National Academy Press.
- Food and Nutrition Board and Institute of Medicine. Dietary Reference Intakes: Thiamin, Riboflavin, Niacin, Vitamin B-6, Folate, Vitamin B-12, Pantothenic Acid, Biotin, and Choline. Prepublication Copy. 1998. Washington, D.C., National Academy Press.
- Food and Nutrition Board, National Research Council. Recommended Dietary Allowances. Washington, D.C.: National Academy Press, 1989.
- Forceville X, Vitoux D, Gauzit R, Combes A, Lahilaire P, Chappuis P. Selenium, systemic immune response syndrome, sepsis, and outcome in critically ill patients. *Crit.Care Med.* 1998;26:1536-44.
- Fotherby MD, Williams JC, Forster LA, Craner P, Ferns GA. Effect of vitamin C on ambulatory blood pressure and plasma lipids in older persons. *J.Hypertens.* 2000;18:411-5.
- Fraga CG, Motchnik PA, Shigenaga MK, Helbock HJ, Jacob RA, Ames BN. Ascorbic acid protects against endogenous oxidative DNA damage in human sperm. *Proc Natl*

Acad.Sci.U.S A 1991;88:11003-6.

Frankel E. Activity of wine and grape phenolic antioxidants in human LDL. *BioFactors* 1997;6:433-5.

Frei B. Reactive oxygen species and antioxidant vitamins: Mechanisms of action. *Am.J.Med.* 1994;97 Suppl. 3A:5S-13S.

Freund H, Atamian S, Fischer JE. Chromium deficiency during total parenteral nutrition. *JAMA* 1979;241:496-8.

Friedrichson T, Kalbach HL, Buck P, van Kuijk FJ. Vitamin E in macular and peripheral tissues of the human eye. *Curr Eye Res* 1995;14:693-701.

Fuller CJ, Grundy SM, Norkus EP, Jialal I. Effect of ascorbate supplementation on low density lipoprotein oxidation in smokers. *Atherosclerosis* 1996;119:139-50.

Gadowsky SL, Gale K, Wolfe SA, Jory J, Gibson R, O'Connor DL. Biochemical folate, B12, and iron status of a group of pregnant adolescents accessed through the public health system in southern Ontario. *J.Adolesc.Health* 1995;16:465-74.

Gale CR, Martyn CN, Winter PD, Cooper C. Vitamin C and risk of death from stroke and coronary heart disease in cohort of elderly people. *Br.Med.J.* 1995;310:1563-6.

Gallagher JC. The role of vitamin D in the pathogenesis and treatment of osteoporosis. *J Rheumatol.Suppl* 1996;45:15-8.

George JH, Brinsdon SC, Paulin JM, Aitken EF. What do young adolescent New Zealanders eat? Nutrient intakes of a nationwide sample of form 1 children. *N Z Med J* 1993;106:47-51.

Gerster H. Antioxidant vitamins in cataract prevention. *Z.Ernahrungswiss.* 1989;28:56-75.

Gerster H. Prevention of platelet dysfunction by vitamin E in diabetic atherosclerosis. *Z.Ernahrungswiss.* 1993;32:243-61.

Gey KF. Vitamins E plus C and interacting conutrients required for optimal health. *BioFactors* 1998;7:113-74.

Gibson RS, MacDonald AC, Martinez OB. Dietary chromium and manganese intakes of a selected sample of Canadian elderly women. *Hum Nutr Appl.Nutr* 1985;39:43-52.

Gillman MW, Hood MY, Moore LL, Nguyen U-SDT, Singer MR, Andon MB. Effect of calcium supplementation on blood pressure in children. *J.Pediatr.* 1995;127:186-92.

Giovannucci E. Tomatoes, tomato-based products, lycopene, and cancer: Review of the

epidemiologic literature. *J.Natl.Cancer Inst.* 1999;91:317-31.

Girodon F, Lombard M, Galan P et al. Effect of micronutrient supplementation on infection in institutionalized elderly subjects: A controlled trial. *Ann.Nutr.Metab.* 1997;41:98-107.

Gloth FM3, Gundberg CM, Hollis BW, Haddad JG, Jr., Tobin JD. Vitamin D deficiency in homebound elderly persons. *JAMA* 1995;274:1683-6.

Glynn SA, Albanes D. Folate and cancer: A review of the literature. *Nutr.Cancer* 1994;22:101-19.

Gokce N, Keaney JF, Jr., Frei B et al. Long-term ascorbic acid administration reverses endothelial vasomotor dysfunction in patients with coronary artery disease. *Circulation* 1999;101:342-6.

Goldbloom R, Battista RN, Anderson G et al. Periodic health examination, 1994 update: 3. Primary and secondary prevention of neural tube defects. *Can.Med.Assoc.J.* 1994;151:159-66.

Gonzalez-Gross M, Ortega RM, Andres P, Varela G. Riboflavin status in a group of institutionalized elderly. *Int.J.Vitam.Nutr.Res.* 1991;61:120-4.

Graham, I. M., Daly, L. E., Refsum, H. M., et al. Plasma homocysteine as a risk factor for vascular disease. The European Concerted Action Project. *JAMA* 277(22), 1775-1781. 6-11-1997.

Graumlich JF, Ludden TM, Conry-Cantilena C, Cantilena LR, Jr., Wang YH, Levine M. Pharmacokinetic model of ascorbic acid in healthy male volunteers during depletion and repletion. *Pharm.Res.* 1997;14:1133-9.

Griffith LE, Guyatt GH, Cook RJ, Bucher HC, Cook DJ. The influence of dietary and nondietary calcium supplementation on blood pressure - An updated metaanalysis of randomized controlled trials. *Am.J.Hypertens.* 1999;12:84-92.

Grunwald J. The European phytomedicines market: figures, trends, analyses. *Herbal Gazette* 1995;34:60-65.

Guilland JC, Penaranda T, Gallet C, Boggio V, Fuchs F, Klepping J. Vitamin status of young athletes including the effects of supplementation. *Med.Sci.Sports Exerc.* 1989;21:441-9.

Guinot P. Tanakan inhibits platelet-activating aggregation in healthy male volunteers. *Homeostasis* 1989;19:219-223.

Gullestad L, Nes M, Ronneberg R, Midtvedt K, Falch D, Kjekshus J. Magnesium status in

healthy free-living elderly Norwegians. *J.Am.Coll.Nutr.* 1994;13:45-50.

Gupta RK, Bhattacharya SK, Sundar S, Kumar K, Kachhawaha JS, Sen PC. A correlative study of serum zinc and in vivo cell mediated immune status in rheumatic heart disease. *Acta Cardiol.* 1996;47:297-304.

Haak ES, Usadel KH, Kohleisen M, Yilmaz A, Kusterer K, Haak T. The effect of alpha-lipoic acid on the neurovascular reflex arc in patients with diabetic neuropathy assessed by capillary microscopy. *Microvasc.Res.* 1999;58:28-34.

Haegele AD, Gillette C, O'Neill C et al. Plasma xanthophyll carotenoids correlate inversely with indices of oxidative DNA damage and lipid peroxidation. *Cancer Epidemiol.Biomarkers Prev.* 2000;9:421-5.

Hagen TM, Ingersoll RT, Lykkesfeldt J et al. (R)-alpha-lipoic acid-supplemented old rats have improved mitochondrial function, decreased oxidative damage, and increased metabolic rate. *FASEB J.* 1999;13:411-8.

Hagen TM, Wehr CM, Ames BN. Mitochondrial decay in aging. *Ann NY Acad Sci* 1998;854:214-23.

Haller J, Lowik MR, Ferry M, Ferro-Luzzi A. Nutritional status: blood vitamins A, E, B6, B12, folic acid and carotene. Euronut SENECA investigators. *Eur.J.Clin.Nutr.* 1991;45 Suppl 3:63-82.

Hambidge M. Human zinc deficiency. *J.Nutr.* 2000;130:1344S-9S.

Hankinson SE, Stampfer MJ, Seddon JM et al. Nutrient intake and cataract extraction in women: a prospective study. *Brit.Med.J.* 1992;305:335-9.

Hartmann A, Niess AM, Grunert-Fuchs M, Poch B, Speit G. Vitamin E prevents exercise-induced DNA damage. *Mutat.Res* 1995;346:195-202.

Hathcock, J. N. *Vitamin and Mineral Safety.* 1997. Washington, DC, Council for Responsible Nutrition.

Hegsted M, Keenan MJ, Siver F, Wozniak P. Effect of boron on vitamin D deficient rats. *Biol.Trace Elem.Res.* 1991;28:243-55.

Hemila H. Vitamin C and common cold incidence: a review of studies with subjects under heavy physical stress. *Int.J Sports Med* 1996;17:379-83.

Hemila H. Vitamin C intake and susceptibility to the common cold. *British J.Nutr.* 1997;77:59-72.

Hennekens CH, Buring JE, Manson JE et al. Lack of effect of long-term supplementation

with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *N.Engl.J Med.* 1996;334:1145-9.

Herbert V, Das KC. Folic Acid and Vitamin B12. In: Shils ME, Olson JA, Shike M, eds. *Modern Nutrition in Health and Disease*. Philadelphia: Lea & Febiger 1988:388-416.

Hertog MG, Feskens EJ, Hollman PC, Katan MB, Kromhout D. Dietary antioxidant flavonoids and risk of coronary heart disease: the Zutphen Elderly Study. *Lancet* 1993;342:1007-11.

Hertog MG, Kromhout D, Aravanis C et al. Flavonoid intake and long-term risk of coronary heart disease and cancer in the seven countries study [published erratum appears in *Arch Intern Med* 1995 Jun 12;155(11):1184]. *Arch.Intern.Med* 1995;155:381-6.

Hiasa Y, Ishida T, Maeda T, Iwano K, Aihara T, Bando M, Nakai Y, Kataoka Y, Mor H, Effects of Coenzyme Q10 on exercise tolerance in patients with stable angina pectoris. *Biomedical and Clinical Aspects of Coenzyme Q*, Vol. 5,, Eds. Elsevier/north-Holland, Amsterdam, 1984, 291.

Hirai N, Kawano H, Hirashima O et al. Insulin resistance and endothelial dysfunction in smokers: effects of vitamin C. *Am.J.Physiol.Heart Circ.Physiol.* 2000;279:H1172-H1178.

Hirashima O, Kawano H, Motoyama T et al. Improvement of endothelial function and insulin sensitivity with vitamin C in patients with coronary spastic angina - Possible role of reactive oxygen species. *J.Am.Coll.Cardiol.* 2000;35:1860-6.

Hobbs C. *Milk Thistle:The Liver Herb*. 2nd edition. Capitola, CA:Botanica Press, 1984.

Hodgson JM, Proudfoot JM, Croft KD, Puddey IB, Mori TA, Beilin LJ. Comparison of the effects of black and green tea on in vitro lipoprotein oxidation in human serum. *J.Sci.Food Agric.* 1999;79:561-6.

Holick, M. F. Environmental factors that influence the cutaneous production of vitamin D. *Am.J.Clin.Nutr.* 61 Suppl., 638S-645S. 1995.

Holvoet P, Collen D. Oxidized lipoproteins in atherosclerosis and thrombosis. *FASEB J.* 1994;8:1279-84.

Honorat J, Accominotti M, Broussolle C, Fleuret AC, Vallon JJ, Orgiazzi J. Effects of diabetes type and treatment on zinc status in diabetes mellitus. *Biol Trace Elem.Res* 1992;32:311-6.

Hu JJ, Chi CX, Frenkel K et al. alpha-tocopherol dietary supplement decreases titers of antibody against 5-hydroxymethyl-2'-deoxyuridine (HMdU). *Cancer Epidemiol.Biomarkers Prev.* 1999;8:693-8.

Huang HE, Helzlsouer KJ, Appel LJ. The effects of vitamin C and vitamin E on oxidative DNA damage: Results from a randomized controlled trial. *Cancer Epidemiol.Biomarkers Prev.* 2000;9:647-52.

Hughes DA, Wright AJ, Finglas PM et al. The effect of beta-carotene supplementation on the immune function of blood monocytes from healthy male nonsmokers. *J Lab.Clin Med* 1997;129:309-17.

Huguet F, Drieu K, Piriou A. Decreased cerebral 5-HT1A receptors during aging: Reversal by Ginkgo biloba extract (EGb 761). *J Pharm Pharmacol* 1994;46:316-8.

Hunt C, Chakravorty NK, Annan G, Habibzadeh N, Schorah CJ. The clinical effects of vitamin C supplementation in elderly hospitalised patients with acute respiratory infections. *Int J Vitam.Nutr Res* 1994;64:212-9.

Hunt CD. The biochemical effects of physiologic amounts of dietary boron in animal nutrition models. *Environ.Health Perspect.* 1994;102 Suppl 7:35-43.

Iribarren C, Folsom AR, Jacobs DR, Jr., Gross MD, Belcher JD, Eckfeldt JH. Association of serum vitamin levels, LDL susceptibility to oxidation, and autoantibodies against MDA-LDL with carotid atherosclerosis - A case-control study. *Arterioscler.Thromb.Vasc.Biol.* 1997;17:1171-7.

Ishikawa T, Suzukawa M, Ito T et al. Effect of tea flavonoid supplementation on the susceptibility of low-density lipoprotein to oxidative modification. *Am.J.Clin.Nutr.* 1997;66:261-6.

Itoh K, Kawasaka T, Nakamura M. The effects of high oral magnesium supplementation on blood pressure, serum lipids and related variables in apparently healthy Japanese subjects. *Br.J.Nutr.* 1997;78:737-50.

Jacob RA. Vitamin C nutriture and risk of atherosclerotic heart disease. *Nutrition reviews* 1998;56:334-7.

Jacques PF, Chylack LTJ. Epidemiologic evidence of a role for the antioxidant vitamins and carotenoids in cataract prevention. *Am.J.Clin.Nutr.* 1991;53:352S-5S.

Jacques PF, Taylor A, Hankinson SE et al. Long-term vitamin C supplement use and prevalence of early age-related lens opacities. *Am.J.Clin.Nutr.* 1997;66:911-6.

Jacques PF. Effects of vitamin C on high-density lipoprotein cholesterol and blood pressure. *J Am Coll Nutr* 1992;11:139-44.

Jain SK, Krueger KS, McVie R, Jaramillo JJ, Palmer M, Smith T. Relationship of blood thromboxane-B2 (TxB2) with lipid peroxides and effect of vitamin E and placebo supplementation on TxB2 and lipid peroxide levels in type 1 diabetic patients. *Diabetes*

Care 1998;21:1511-6.

Jain SK, McVie R, Jaramillo JJ, Palmer M, Smith T. Effect of modest vitamin E supplementation on blood glycated hemoglobin and triglyceride levels and red cell indices in type I diabetic patients. *J Am Coll Nutr* 1996;15:458-61.

Jain SK. Should high-dose vitamin E supplementation be recommended to diabetic patients? *Diabetes Care* 1999;22:1242-4.

Janelle KC, Barr SI. Nutrient intakes and eating behavior scores of vegetarian and nonvegetarian women. *J Am Diet.Assoc* 1995;95:180-6, 189, quiz.

Jayachandran M, Panneerselvam C. Cellular immune responses to vitamin C supplementation in ageing humans assessed by the in vitro leucocyte migration inhibition test. *Med.Sci.Res.* 1998;26:227-30.

Jeejeebhoy KN, Chu RC, Marliss EB, Greenberg GR, Bruce-Robertson A. Chromium deficiency, glucose intolerance, and neuropathy reversed by chromium supplementation, in a patient receiving long-term total parenteral nutrition. *Am.J.Clin.Nutr.* 1977;30:531-8.

Jeejeebhoy KN. Chromium and parenteral nutrition. *J.Trace Elem.Exp.Med.* 1999;12:85-9.

Jialal I, Fuller CJ. Effect of vitamin E, vitamin C and beta-carotene on LDL oxidation and atherosclerosis. *Can J Cardiol* 1995;11 Suppl G:97G-103G.

Johnson MK, Loo G. Effects of epigallocatechin gallate and quercetin on oxidative damage to cellular DNA. *Mutat.Res.DNA Repair* 2000;459:211-8.

Joosten E, van den Berg A, Riezler R et al. Metabolic evidence that deficiencies of vitamin B-12 (cobalamin), folate, and vitamin B-6 occur commonly in elderly people. *Am.J.Clin.Nutr.* 1993;58:468-76.

Justesen U, Knuthsen P, Leth T. Determination of plant polyphenols in Danish foodstuffs by HPLC- UV and LC-MS detection. *Cancer Letters* 1997;114:165-7.

Kant AK, Schatzkin A, Block G, Ziegler RG, Nestle M. Food group intake patterns and associated nutrient profiles of the US population. *J.Am.Diet.Assoc.* 1991;91:1532-7.

Kant AK, Schatzkin A. Consumption of energy-dense, nutrient-poor foods by the US population: effect on nutrient profiles. *J.Am.Coll.Nutr.* 1994;13:285-91.

Kant, A. K. and Block, G. Dietary vitamin B-6 intake and food sources in the US population: NHANES II, 1976-1980. *Am.J.Clin.Nutr.* 52(4), 707-716. 1990.

Kapiotis S, Hermann M, Held I, Seelos C, Ehringer H, Gmeiner BM. Genistein, the

dietary-derived angiogenesis inhibitor, prevents LDL oxidation and protects endothelial cells from damage by atherogenic LDL. *Arterioscler.Thromb.Vasc.Biol.* 1997;17:2868-74.

Karlson, B., Leijd, B., and Hellstrom, K. On the influence of vitamin K-rich vegetables and wine on the effectiveness of warfarin treatment. *Acta Med Scand* 220(4), 347-350. 1986.

Kaufman JM. Role of calcium and vitamin D in the prevention and the treatment of postmenopausal osteoporosis: an overview. *Clin Rheumatol.* 1995;14 Suppl 3:9-13.

Kaufmann PA, Gneccchi-Ruscione T, Di Terlizzi M, Schäfers KP, Lüscher TF, Camici PG. Coronary heart disease in smokers - Vitamin C restores coronary microcirculatory function. *Circulation* 2000;102:1233-8.

Kawano Y, Matsuoka H, Takishita S, Omae T. Effects of magnesium supplementation in hypertensive patients: assessment by office, home, and ambulatory blood pressures. *Hypertension* 1998;32:260-5.

Kawano Y, Yoshimi H, Matsuoka H, Takishita S, Omae T. Calcium supplementation in patients with essential hypertension: assessment by office, home and ambulatory blood pressure. *J.Hypertens.* 1998;16:1693-9.

Keen CL, Gershwin ME. Zinc deficiency and immune function. *Annu.Rev.Nutr.* 1990;10:415-31.

Keli SO, Hertog MG, Feskens EJ, Kromhout D. Dietary flavonoids, antioxidant vitamins, and incidence of stroke: the Zutphen study. *Arch.Intern.Med* 1996;156:637-42.

Kessenich CR, Rosen CJ. Vitamin D and bone status in elderly women. *Orthop.Nurs.* 1996;15:67-71.

Khan LA, Alam AMS, Ali L et al. Serum and urinary magnesium in young diabetic subjects in Bangladesh. *Am.J.Clin.Nutr.* 1999;69:70-3.

Khanna S, Atalay M, Laaksonen DE, Gul M, Roy S, Sen CK. alpha-lipoic acid supplementation: tissue glutathione homeostasis at rest and after exercise. *J.Appl.Physiol.* 1999;86:1191-6.

Kim Y. Folate and cancer prevention: A new medical application of folate beyond hyperhomocysteinemia and neural tube defects. *Nutrition reviews* 1999;57:314-21.

Kim Y-I. Folate and carcinogenesis: Evidence, mechanisms, and implications. *J.Nutr. Biochem* 1999;10:66-88.

Klaunig JE, Xu Y, Han C et al. The effect of tea consumption on oxidative stress in

smokers and nonsmokers. *Proc Soc Exp Biol Med* 1999;220:249-54.

Kleijnen J, Knipschild P. Ginkgo biloba for cerebral insufficiency. *Br J Clin Pharmacol* 1992;34:352-8.

Klevay LM. Cardiovascular disease from copper deficiency - A history. *J.Nutr.* 2000;130:489S-92S.

Knekt P, Heliövaara M, Rissanen A, Aromaa A, Aaran RK. Serum antioxidant vitamins and risk of cataract. *Brit.Med.J.* 1992;305:1392-4.

Knekt P, Jarvinen R, Reunanen A, Maatela J. Flavonoid intake and coronary mortality in Finland: a cohort study. *Brit.Med.J.* 1996;312:478-81.

Knekt P, Reunanen A, Järvinen R et al. Antioxidant vitamin intake and coronary mortality in a longitudinal population study. *Am.J.Epidemiol.* 1994;139:1180-9.

Kohlmeier L, Hastings SB. Epidemiologic evidence of a role of carotenoids in cardiovascular disease prevention. *Am.J.Clin.Nutr.* 1995;62:1370S-6S.

Kono S, Shinchi K, Ikeda N, Yanai F, Imanishi K. Green tea consumption and serum lipid profiles: a cross-sectional study in northern Kyushu, Japan. *Prev.Med.* 1992;21:526-31.

Kontush A, Spranger T, Reich A, Baum K, Beisiegel U. Lipophilic antioxidants in blood plasma as markers of atherosclerosis: the role of alpha-carotene and gamma-tocopherol. *Atherosclerosis* 1999;144:117-22.

Kose K, Dogan P. Lipoperoxidation induced by hydrogen peroxide in human erythrocyte membranes. 1. Protective effect of Ginkgo biloba extract (EGb 761). *J Int Med Res* 1995;23:1- 8.

Kritchevsky SB, Shimakawa T, Tell GS et al. Dietary antioxidants and carotid artery wall thickness. The ARIC Study. *Atherosclerosis Risk in Communities Study. Circulation* 1995;92:2142-50.

Kritchevsky SB, Tell GS, Shimakawa T et al. Provitamin A carotenoid intake and carotid artery plaques: the Atherosclerosis Risk in Communities Study. *Am.J.Clin.Nutr.* 1998;68:726-33.

Kritchevsky SB. Beta-carotene, carotenoids and the prevention of coronary heart disease. *J.Nutr.* 1999;129:5-8.

Kumpulainen JT. Chromium content of foods and diets. *Biol Trace Elem Res* 1992;32:9-18.

Kunisaki M, Umeda F, Inoguchi T, Watanabe J, Nawata H. Effects of vitamin E

administration on platelet function in diabetes mellitus. *Diabetes Res* 1990;14:37-42.

Lachance P. Dietary intake of carotenes and the carotene gap. *Clin.Nutr.* 1988;7:118-22.

Laurant P, Touyz RM. Physiological and pathophysiological role of magnesium in the cardiovascular system: implications in hypertension. *J.Hypertens.* 2000;18:1177-91.

Lean ME, Noroozi M, Kelly I et al. Dietary flavonols protect diabetic human lymphocytes against oxidative damage to DNA. *Diabetes* 1999;48:176-81.

Leanderson P, Faresjö ÅO, Tagesson C. Green tea polyphenols inhibit oxidant-induced DNA strand breakage in cultured lung cells. *Free Radical Biol Med* 1997;23:235-42.

LeBars PL, Katz MM, Berman N, et al. A placebo-controlled, double-blind, randomized trial of an extract of Ginkgo biloba for dementia. *JAMA* 1997;278:1327-32.

Lebuisson DA, Leroy L, Rigal G. Treatment of senile macular degeneration with Ginkgo biloba extract. A preliminary doubleblind drug versus placebo study. *Presse Med* 1986;15:1556-8.

Lee BM, Lee SK, Kim HS. Inhibition of oxidative DNA damage, 8-OHdG, and carbonyl contents in smokers treated with antioxidants (vitamin E, vitamin C, beta-carotene and red ginseng). *Cancer Letters* 1998;132:219-27.

Lee WTK, Leung SSF, Leung DMY, Tsang HSY, Lau J, Cheng JCY. A randomized double-blind controlled calcium supplementation trial, and bone and height acquisition in children. *Br.J.Nutr.* 1995;74:125-39.

Lenaz G, D'Aurelio M, Pich MM et al. Mitochondrial bioenergetics in aging. *Biochim.Biophys.Acta Bio-Energetics* 2000;1459:397-404.

Leske MC, Chylack LT, Jr., He QM et al. Antioxidant vitamins and nuclear opacities - The longitudinal study of cataract. *Ophthalmology* 1998;105:831-6.

Lesourd BM. Nutrition and immunity in the elderly: Modification of immune responses with nutritional treatments. *Am.J.Clin.Nutr.* 1997;66:478S-84S.

Levander OA, Beck MA. Selenium and viral virulence. *Br.Med.Bull.* 1999;55:528-33.

Levine GN, Frei B, Koulouris SN, Gerhard MD, Keaney JFJ, Vita JA. Ascorbic acid reverses endothelial vasomotor dysfunction in patients with coronary artery disease. *Circulation* 1996;93:1107-13.

Levine M, Conry-Cantilena C, Wang Y et al. Vitamin C pharmacokinetics in healthy volunteers: evidence for a recommended dietary allowance. *Proc Natl.Acad.Sci U S A*

1996;93:3704-9.

Lewis CJ, Crane NT, Wilson DB, Yetley EA. Estimated folate intakes: data updated to reflect food fortification, increased bioavailability, and dietary supplement use. *Am.J.Clin.Nutr.* 1999;70:198-207.

Li CL, Wong YY. The Bioavailability of Ginkgolides in Ginkgo biloba Extracts. *Planta Medica* 1997;63:563-5.

Lichten IJ. Dietary intake levels and requirements of Mg and Ca for different segments of the U.S. population. *Magnesium* 1989;8:117-23.

Lijnen P, Petrov V. Dietary calcium, blood pressure and cell membrane cation transport systems in males. *J.Hypertens.* 1995;13:875-82.

Lima MD, Cruz T, Pousada JC, Rodrigues LE, Barbosa K, Canguçu V. The effect of magnesium supplementation in increasing doses on the control of type 2 diabetes. *Diabetes Care* 1998;21:682-6.

Lindenbaum J, Rosenberg IH, Wilson PW, Stabler SP, Allen RH. Prevalence of cobalamin deficiency in the Framingham elderly population. *Am.J.Clin.Nutr.* 1994;60:2-11.

Linseisen J, Radtke J, Wolfram G. Flavonoid intake of adults in a Bavarian subgroup of the national food consumption survey. *Z.Ernahrungswiss.* 1997;36:403-12.

Looker AC, Harris TB, Madans JH, Sempos CT. Dietary calcium and hip fracture risk: the NHANES I Epidemiologic Follow-Up Study. *Osteoporos Int* 1993;3:4-84.

Low PA, Nickander KK, Tritschler HJ. The roles of oxidative stress and antioxidant treatment in experimental diabetic neuropathy. *Diabetes* 1997;46:S38-S42.

Lowik MR, Schrijver J, Odink J, van den Berg H, Wedel M. Long-term effects of a vegetarian diet on the nutritional status of elderly people (Dutch Nutrition Surveillance System). *J.Am.Coll.Nutr.* 1990;9:600-9.

Lowik MR, Van Dokkum W, Kistemaker C, Schaafsma G, Ockhuizen T. Body composition, health status and urinary magnesium excretion among elderly people (Dutch Nutrition Surveillance System). *Magnes.Res.* 1993;6:223-32.

Lyle BJ, Mares-Perlman JA, Klein BE et al. Serum carotenoids and tocopherols and incidence of age-related nuclear cataract. *Am.J.Clin.Nutr.* 1999;69:272-7.

Lyle BJ, Mares-Perlman JA, Klein BEK, Klein R, Greger JL. Antioxidant intake and risk of incident age-related nuclear cataracts in the Beaver Dam Eye Study. *Am.J.Epidemiol.*

1999;149:801-9.

Mahalko JR, Bennion M. The effect of parity and time between pregnancies on maternal hair chromium concentration. *Am.J.Clin.Nutr.* 1976;29:1069-72.

Maitra I, Marocci L, Droy-Lefaix MT, Packer L. Peroxyl radical scavenging activity of Ginkgo biloba extract (EGb 761). *Biochem Pharmacol* 1995; 49:1649–55.

Malinow MR, Nieto FJ, Kruger WD et al. The effects of folic acid supplementation on plasma total homocysteine are modulated by multivitamin use and methylenetetrahydrofolate reductase genotypes. *Arterioscler.Thromb.Vasc.Biol.* 1997;17:1157-62.

Manore MM, Vaughan LA, Carroll SS, Leklem JE. Plasma pyridoxal 5'-phosphate concentration and dietary vitamin B-6 intake in free-living, low-income elderly people. *Am.J.Clin.Nutr.* 1989;50:339-45.

Manson JE, Gaziano JM, Jonas MA, Hennekens CH. Antioxidants and cardiovascular disease: a review. *J Am Coll Nutr* 1993;12:426-32.

Marcocci L, Packer L, Droy-Lefaix MT, Sekaki A, Gardes-Albert M. Antioxidant action of Ginkgo biloba extract (EGb 761). *Methods Enzymol* 1994;234:462–75.

Mares-Perlman JA, Subar AF, Block G, Greger JL, Luby MH. Zinc intake and sources in the US adult population: 1976- 1980. *J.Am.Coll.Nutr.* 1995;14:349-57.

Martini LA. Magnesium supplementation and bone turnover. *Nutr.Rev.* 1999;57:227-9.

Maruyama, M.; Terahara, A.; Itagaki, Y.; Nakanishi, K. The Structure of Ginkgolides. *Tetrahedron Lett* 1967;1:299, 303, 315, 321.

Mason JB, Levesque T. Folate: effects on carcinogenesis and the potential for cancer chemoprevention. *Oncology (Huntingt.)* 1996;10:1727-3.

Matos HR, Di Mascio P, Medeiros MHG. Protective effect of lycopene on lipid peroxidation and oxidative DNA damage in cell culture. *Archives of Biochemistry and Biophysics* 2000;383:56-9.

Matsui MS, Rozovski SJ. Drug-nutrient interaction. *Clin.Ther.* 1997;4:423-40.

Maxwell SRJ, Thomason H, Sandler D et al. Antioxidant status in patients with uncomplicated insulin- dependent and non-insulin-dependent diabetes mellitus. *Eur.J.Clin.Invest.* 1997;27:484-90.

Mazzotta MY. Nutrition and wound healing. *J.Am.Podiatr.Med.Assoc.* 1994;84:456-62.

McAlindon TE, et al. Glucosamine and chondroitin for treatment of osteoarthritis. *JAMA* 2000;283:1469-1475.

McAlindon TE, et al. Glucosamine and chondroitin for treatment of osteoarthritis: a systematic quality assessment and meta-analysis. *JAMA*. 2000;283(11):1469-75.

McAuliffe AV, Brooks BA, Fisher EJ, Molyneaux LM, Yue DK. Administration of ascorbic acid and an aldose reductase inhibitor (tolrestat) in diabetes: Effect on urinary albumin excretion. *Nephron* 1998;80:277-84.

Mccarron DA, Reusser ME. Finding consensus in the dietary calcium-blood pressure debate. *J.Am.Coll.Nutr.* 1999;18:398S-405S.

McCoy H, Kenney MA, Montgomery C, Irwin A, Williams L, Orrell R. Relation of boron to the composition and mechanical properties of bone. *Environ.Health Perspect.* 1994;102 Suppl 7:49-53.

McCully KS. Chemical pathology of homocysteine. I. Atherogenesis. *Ann.Clin Lab.Sci.* 1993;23:477-93.

McPartland, J.M. 1996. Viral hepatitis treated with *Phyllanthus amarus* and milk thistle (*Silybum marianum*): a case report. *Complementary Medicine International* 1996;3(2):40-42.

Meacham SL, Taper LJ, Volpe SL. Effect of boron supplementation on blood and urinary calcium, magnesium, and phosphorus, and urinary boron in athletic and sedentary women. *Am.J.Clin.Nutr.* 1995;61:341-5.

Meacham SL, Taper LJ, Volpe SL. Effects of boron supplementation on bone mineral density and dietary, blood, and urinary calcium, phosphorus, magnesium, and boron in female athletes. *Environ.Health Perspect.* 1994;102 Suppl 7:79-82.

Mei W, Dong ZM, Liao BL, Xu HB. Study of immune function of cancer patients influenced by supplemental zinc or selenium-zinc combination. *Biol.Trace Elem.Res.* 1991;28:11-9.

Mertz W. Chromium in human nutrition: a review. *J.Nutr.* 1993;123:626-33.

Meydani SN, Beharka AA. Recent developments in vitamin E and immune response. *Nutrition reviews* 1998;56:S49-S58.

Meydani SN, Meydani M, Blumberg JB et al. Vitamin E supplementation and in vivo immune response in healthy elderly subjects. A randomized controlled trial. *JAMA* 1997;277:1380-6.

Meydani SN, Ribaya-Mercado JD, Russell RM, Sahyoun N, Morrow FD, Gershoff SN.

Vitamin B-6 deficiency impairs interleukin 2 production and lymphocyte proliferation in elderly adults. *Am.J.Clin.Nutr.* 1991;53:1275-80.

Milk Thistle--*Silybum marianum*. In: Foster S, ed. *Herbs for Your Health*. Loveland, CO: Interweave Press 1996:66-7.

Millet P, Guillaud JC, Fuchs F, Klepping J. Nutrient intake and vitamin status of healthy French vegetarians and nonvegetarians. *Am.J.Clin.Nutr.* 1989;50:718-27.

Mitsui Y, Schmelzer JD, Zollman PJ, Mitsui M, Tritschler HJ, Low PA. Alpha-lipoic acid provides neuroprotection from ischemia-reperfusion injury of peripheral nerve. *J.Neurol.Sci.* 1999;163:11-6.

Miura Y, Chiba T, Miura S et al. Green tea polyphenols (flavan 3-ols) prevent oxidative modification of low density lipoproteins: An ex vivo study in humans. *J.Nutr.Biochem.* 2000;11:216-22.

Moeller SM, Jacques PF, Blumberg JB. The potential role of dietary xanthophylls in cataract and age-related macular degeneration. *J.Am.Coll.Nutr.* 2000;19:522S-7S.

Morris DL, Kritchevsky SB, Davis CE. Serum carotenoids and coronary heart disease: The Lipid Research Clinics Coronary Primary Prevention Trial and Follow-up Study. *JAMA* 1994;272:1439-41.

Mosca L, Rubenfire M, Mandel C et al. Antioxidant nutrient supplementation reduces the susceptibility of low density lipoprotein to oxidation in patients with coronary artery disease. *J.Am.Coll.Cardiol.* 1997;30:392-9.

Motomiya T, Iyeki K, Wantanabe K, Tokuyasu Y, Sakuraka H, Ejiri N, and Nanba K, Elevated beta thromboglobulin in peripheral venous blood of patients with exercise-induced myocardial ischemia and its prevention with coenzyme Q10, in *Biomedical and Clinical Aspects of Coenzyme Q*, Vol. 5, Folkers K, and Yamamura Y, Eds, Elsevier, Amsterdam, 1986, 379.

Mottram P, Shige H, Nestel P. Vitamin E improves arterial compliance in middle-aged men and women. *Atherosclerosis* 1999;145:399-404.

Naghii MR, Samman S. The role of boron in nutrition and metabolism. *Prog.Food Nutr.Sci.* 1993;17:331-49.

Ness AR, Chee D, Elliott P. Vitamin C and blood pressure--an overview. *J Hum.Hypertens.* 1997;11:343-50.

Ness AR, Khaw KT, Bingham S, Day NE. Vitamin C status and blood pressure. *J Hypertens.* 1996;14:503-8.

Newnham RE. Essentiality of boron for healthy bones and joints. *Environ.Health Perspect.* 1994;102 Suppl 7:83-5.

Nichols HK, Basu TK. Thiamin status of the elderly: dietary intake and thiamin pyrophosphate response. *J.Am.Coll.Nutr.* 1994;13:57-61.

Nielsen FH, Shuler TR. Studies of the interaction between boron and calcium, and its modification by magnesium and potassium, in rats. Effects on growth, blood variables, and bone mineral composition. *Biol.Trace Elem.Res.* 1992;35:225-37.

Nielsen FH. Biochemical and physiologic consequences of boron deprivation in humans. *Environ.Health Perspect.* 1994;102 Suppl 7:59-63.

Nielsen FH. Studies on the relationship between boron and magnesium in the formation and maintenance of bones. *J Am Coll Nutr* 1989;8:457 (abstr).

Nielsen FH. Ultratrace elements in nutrition: Current knowledge and speculation. *J.Trace Elem.Exp.Med.* 1998;11:251-74.

Nielsen FH. Ultratrace Minerals. In: Shils ME, Olson JA, Shike M, eds. *Modern Nutrition in Health and Disease*. Philadelphia: Lea & Febiger 1994:269-86.

Niki E, Noguchi N, Tsuchihashi H, Gotoh N. Interaction among vitamin C, vitamin E, and beta-carotene. *Am.J.Clin.Nutr.* 1995;62:1322S-6S.

Noack W, et al. Glucosamine sulfate in osteoarthritis of the knee. *Osteoarthritis and Cartilage* 1994;2:51-59.

Nohl H, Gille L. Evaluation of the antioxidant capacity of ubiquinol and dihydrolipoic acid. *Z.Naturforsch.(C)* 1998;53:250-3.

Nuttall SL, Dunne F, Kendall MJ, Martin U. Age-independent oxidative stress in elderly patients with non-insulin-dependent diabetes mellitus. *Q.J.Med.* 1999;92:33-8.

Nygaard O, Nordrehaug JE, Refsum H, Ueland PM, Farstad M, Vollset SE. Plasma homocysteine levels and mortality in patients with coronary artery disease. *N Engl J Med* 1997;337:230-6.

Nyssonen K, Parviainen MT, Salonen R, Tuomilehto J, Salonen JT. Vitamin C deficiency and risk of myocardial infarction: Prospective population study of men from eastern Finland. *Bmj* 1997;314:634-8.

O'Brien KO. Combined calcium and vitamin D supplementation reduces bone loss and fracture incidence in older men and women. *Nutr Rev* 1998;56:148-50.

Ooms ME, Roos JC, Bezemer PD, van der Vijgh WJ, Bouter LM, Lips P. Prevention of

bone loss by vitamin D supplementation in elderly women: a randomized double-blind trial. *J Clin Endocrinol.Metab.* 1995;80:1052-8.

Orlov MV, Brodsky MA, Douban S. A review of magnesium, acute myocardial infarction and arrhythmia. *J.Am.Coll.Nutr.* 1994;13:127-32.

Packer L, Tritschler HJ, Wessel K. Neuroprotection by the metabolic antioxidant alpha-lipoic acid. *Free Radical Biol Med* 1997;22:359-78.

Packer L, Witt EH, Tritschler HJ. Alpha-lipoic acid as a biological antioxidant. *Free Radic.Biol.Med.* 1995;19:227-50.

Packer L. Protective role of vitamin E in biological systems. *Am.J.Clin.Nutr.* 1991;53:1050S-5S.

Patti L, Maffettone A, Iovine C et al. Long-term effects of fish oil on lipoprotein subfractions and low density lipoprotein size in non-insulin-dependent diabetic patients with hypertriglyceridemia. *Atherosclerosis* 1999;146:361-7.

Paunier L. Effect of magnesium on phosphorus and calcium metabolism. *Monatsschr.Kinderheilkd.* 1992;140:S17-S20.

Pecoraro RE, Chen MS. Ascorbic acid metabolism in diabetes mellitus. *Ann.N Y.Acad.Sci.* 1987;498:248-58.

Pennington JAT, Young BE, Wilson DB. Nutritional elements in U.S. diets: Results from the total diet study, 1982-86. *J.Am.Diet.Assoc.* 1989;89:659-64.

Pennington JAT. Intakes of minerals from diets and foods: Is there a need for concern? *J.Nutr.* 1996;126:2304S-8S.

Peters EM, Goetzsche JM, Grobbelaar B, Noakes TD. Vitamin C supplementation reduces the incidence of post-race symptoms of upper-respiratory-tract infection in ultramarathon runners. *Am.J Clin.Nutr.* 1993;57:170-4.

Pignatelli P, Pulcinelli FM, Celestini A et al. The flavonoids quercetin and catechin synergistically inhibit platelet function by antagonizing the intracellular production of hydrogen peroxide. *Am.J.Clin.Nutr.* 2000;72:1150-5.

Pincemail J, Dupuis M, Nasr C, et al. Superoxide anion scavenging effect and superoxide dismutase activity of Ginkgo biloba extract. *Experientia* 1989;45:708-12.

Plum-Wirell M, Stegmayr BG, Wester PO. Nutritional magnesium supplementation does not change blood pressure nor serum or muscle potassium and magnesium in untreated hypertension. A double-blind crossover study. *Magnes.Res.* 1994;7:277-83.

Pool-Zobel BL, Bub A, Müller H, Wollowski I, Rechkemmer G. Consumption of vegetables reduces genetic damage in humans: first results of a human intervention trial with carotenoid-rich foods. *Carcinogenesis* 1997;18:1847-50.

Porrini M, Riso P. Lymphocyte lycopene concentration and DNA protection from oxidative damage is increased in women after a short period of tomato consumption. *J.Nutr.* 2000;130:189-92.

Porter KH. Undercarboxylated osteocalcin: Indicator of vitamin K status and hip fracture risk? *Biochem.Arch.* 1999;15:225-37.

Power ML, Heaney RP, Kalkwarf HJ et al. The role of calcium in health and disease. *Am.J.Obstet.Gynecol.* 1999;181:1560-9.

Prasad AS, Fitzgerald JT, Hess JW, Kaplan J, Pelen F, Dardenne M. Zinc deficiency in elderly patients. *Nutrition.* 1993;9:218-24.

Prasad AS. Zinc and immunity. *Mol.Cell.Biochem.* 1998;188:63-9.

Prasad AS. Zinc: an overview. *Nutrition.* 1995;11:93-9.

Pratt S. Dietary prevention of age-related macular degeneration. *J Am Optom.Assoc.* 1999;70:39-47.

Prieme H, Loft S, Nyssonen K, Salonen JT, Poulsen HE. No effect of supplementation with vitamin E, ascorbic acid, or coenzyme Q10 on oxidative DNA damage estimated by 8-oxo-7,8-dihydro-2'-deoxyguanosine excretion in smokers. *Am.J.Clin.Nutr.* 1997;65:503-7.

Princen HM, van Duyvenvoorde W, Buytenhek R et al. Supplementation with low doses of vitamin E protects LDL from lipid peroxidation in men and women. *Arterioscler.Thromb.Vasc.Biol* 1995;15:325-33.

Pujalte JM, Llavore EP, Ylescupidéz FR. Double-blind clinical evaluation of oral glucosamine sulphate in the basic treatment of osteoarthritis. *Curr Med Res Opin* 1980;7:110-4.

Quinn K, Basu TK. Folate and vitamin B12 status of the elderly. *Eur.J Clin Nutr* 1996;50:340-2.

Rao AV, Agarwal S. Role of lycopene as antioxidant carotenoid in the prevention of chronic diseases: A review. *Nutr Res* 1999;19:305-23.

Rao AVR, Agarwal S. Role of antioxidant lycopene in cancer and heart disease. *J.Am.Coll.Nutr.* 2000;19:563-9.

- Rayman MP. The importance of selenium to human health. *Lancet* 2000;356:233-41.
- Reginster JY, et al. Long-term effects of glucosamine sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial. *Lancet* 2001;357:251-256.
- Reid IR, Ames RW, Evans MC, Gamble GD, Sharpe SJ. Long-term effects of calcium supplementation on bone loss and fractures in postmenopausal women: a randomized controlled trial. *Am J Med.* 1995;98:331-5.
- Reid IR. The roles of calcium and vitamin D in the prevention of osteoporosis. *Endocrinol.Metab.Clin North Am* 1998;27:389-98.
- Renner E. Dairy calcium, bone metabolism, and prevention of osteoporosis. *J.Dairy.Sci.* 1994;77:3498-505.
- Rico H, Gallego-Lago JL, Hernández ER et al. Effect of silicon supplement on osteopenia induced by ovariectomy in rats. *Calcified Tissue International* 2000;66:53-5.
- Riso P, Pinder A, Santangelo A, Porrini M. Does tomato consumption effectively increase the resistance of lymphocyte DNA to oxidative damage? *Am.J.Clin.Nutr.* 1999;69:712-8.
- Roebathan BV, Chandra RK. Nutrient consumption and body size in a group of institutionalized elderly. *Nutr.Res.* 1994;14:35-9.
- Roffi M, Kanaka C, Mullis PE, Peheim E, Bianchetti MG. Hypermagnesiuria in children with newly diagnosed insulin- dependent diabetes mellitus. *Am.J.Nephrol.* 1994;14:201-6.
- Roy M, Kiremidjian-Schumacher L, Wishe HI, Cohen MW, Stotzky G. Supplementation with selenium restores age-related decline in immune cell function. *Proc.Soc.Exp.Biol.Med.* 1995;209:369-75.
- Sacks FM, Willett WC, Smith A, Brown LE, Rosner B, Moore TJ. Effect on blood pressure of potassium, calcium, and magnesium in women with low habitual intake. *Hypertension* 1998;31:131-8.
- Sai K, Kai S, Umemura T et al. Protective effects of green tea on hepatotoxicity, oxidative DNA damage and cell proliferation in the rat liver, induced by repeated oral administration of 2-nitropropane. *Food Chem.Toxicol.* 1998;36:1043-5.
- Salonen JT, Salonen R, Ihanainen M et al. Vitamin C deficiency and low linolenate intake associated with elevated blood pressure: the Kuopio Ischaemic Heart Disease Risk Factor Study. *J.Hypertens.Suppl.* 1987;5:S521-4.
- Saltzman JR, Kemp JA, Golner BB, Pedrosa MC, Dallal GE, Russell RM. Effect of hypochlorhydria due to omeprazole treatment or atrophic gastritis on protein-bound

vitamin B12 absorption. *J.Am.Coll.Nutr.* 1994;13:584-91.

Sandstead HH. Is zinc deficiency a public health problem? *Nutrition.* 1995;11:87-92.

Saner G. The effect of parity on maternal hair chromium concentration and the changes during pregnancy. *Am.J.Clin.Nutr.* 1981;34:853-5.

Saner G. Urinary chromium excretion during pregnancy and its relationship with intravenous glucose loading. *Am.J.Clin.Nutr.* 1981;34:1676-9.

Santos, M. S., Gaziano, J. M., Leka, L. S., Beharka, A. A., Hennekens, C. H., and Meydani, S. N. Beta-carotene-induced enhancement of natural killer cell activity in elderly men: an investigation of the role of cytokines. *Am.J.Clin.Nutr.* 68(1), 164-170. 1998. Ref Type: Journal (Full)

Sasaki S, Oshima T, Matsuura H et al. Abnormal magnesium status in patients with cardiovascular diseases. *Clinical Science* 2000;98:175-81.

Sastre J, Pallardó FV, De la Asunción JG, Viña J. Mitochondria, oxidative stress and aging. *Free Radic.Res.* 2000;32:189-98.

Sauberlich HE. Folate status of U.S. population groups. In: Bailey LB, ed. *Folate in Health and Disease.* New York: Marcel Dekker, Inc. 1995:171-95.

Schramm DD, German JB. Potential effects of flavonoids on the etiology of vascular disease. *J.Nutr.Biochem.* 1998;9:560-6.

Seaborn CD NF. Silicon: A nutritional beneficence for bones, brains and blood vessels? *Nutrition Today* 1993;28:13-6.

Seaborn CD, Nielsen FH. Response surface analysis of bone composition changes caused by dietary calcium and silicon. *FASEB J* 1993;7:A77.

Seaborn, C. D. and Nielsen, F. H. Effects of germanium and silicon on bone mineralization. *Biol.Trace Elem.Res.* 42, 151-164. 1994.

Seddon JM, Ajani UA, Sperduto RD et al. Dietary carotenoids, vitamins A, C, and E, and advanced age- related macular degeneration. Eye Disease Case-Control Study Group. *JAMA* 1994;272:1413-20.

Selhub J, Jacques PF, Wilson PW, Rush D, Rosenberg IH. Vitamin status and intake as primary determinants of homocysteinemia in an elderly population. *JAMA* 1993;270:2693-8.

Semba RD. Vitamin A, immunity, and infection. *Clin.Infect.Dis.* 1994;19:489-99.

- Sen CK. Glutathione homeostasis in response to exercise training and nutritional supplements. *Mol.Cell.Biochem.* 1999;196:31-42.
- Serafini M. Dietary vitamin E and T cell-mediated function in the elderly: effectiveness and mechanism of action. *Int.J.Dev.Neurosci.* 2000;18:401-10.
- Seth RK, Kharb S. Protective function of alpha-tocopherol against the process of cataractogenesis in humans. *Ann.Nutr.Metab.* 1999;43:286-9.
- Shankar AH, Prasad AS. Zinc and immune function: the biological basis of altered resistance to infection. *Am.J.Clin.Nutr.* 1998;68:447S-63S.
- Shechter M, Merz CNB, Paul-Labrador M et al. Oral magnesium supplementation inhibits platelet-dependent thrombosis in patients with coronary artery disease. *Am.J.Cardiol.* 1999;84:152-6.
- Sherman AR. Zinc, copper, and iron nutriture and immunity. *J.Nutr.* 1992;122:604-9.
- Shigenaga MK, Hagen TM, Ames BN. Oxidative damage and mitochondrial decay in aging. *Proc.Natl.Acad.Sci.U.S.A.* 1994;91:10771-8.
- Sies H, Stahl W, Sundquist AR. Antioxidant functions of vitamins. Vitamins E and C, beta- carotene, and other carotenoids. *Ann.N.Y.Acad.Sci.* 1992;669:7-33.
- Simon JA, Hudes ES, Browner WS. Serum ascorbic acid and cardiovascular disease prevalence in US adults. *Epidemiology* 1998;9:316-21.
- Simons LA, von Konigsmark M, Balasubramaniam S. What dose of vitamin E is required to reduce susceptibility of LDL to oxidation? *Aust.N Z.J Med* 1996;26:496-503.
- Sinclair AJ, Taylor PB, Lunec J, Girling AJ, Barnett AH. Low plasma ascorbate levels in patients with type 2 diabetes mellitus consuming adequate dietary vitamin C. *Diabet.Med* 1994;11:893-8.
- Singh RB, Rastogi SS, Gupta RK, Sharma VK, Singh RG. Can a diet rich in chromium and other minerals modulate blood sugar and blood lipids in noninsulin dependent diabetes mellitus? *9 (3).*1992.157-162. 1992;157-62.
- Skelton WP, III, Skelton NK. Thiamine deficiency neuropathy. It's still common today. *Postgrad.Med.* 1989;85:301-6.
- Small SP, Best DG, Hustins KA. Energy and nutrient intakes of independently-living, elderly women. *Can.J.Nurs.Res.* 1994;26:71-81.
- Smidt CR, Seidehamel RJ, Devaraj S, Jialal I. The effects of a nutritionally complete dietary supplement (LifePak) on antioxidant status and LDL-oxidation in healthy non-

smokers. *FASEB J* 1999;13:A546.

Smidt LJ, Cremin FM, Grivetti LE, Clifford AJ. Influence of thiamin supplementation on the health and general well-being of an elderly Irish population with marginal thiamin deficiency. *J.Gerontol.* 1991;46:M16-22.

Sojka JE, Weaver CM. Magnesium supplementation and osteoporosis. *Nutr.Rev.* 1995;53:71-4.

Som S, Basu S, Mukherjee D et al. Ascorbic acid metabolism in diabetes mellitus. *Metabolism* 1981;30:572-7.

Sorano GG, Biondi G, Conti M, Mameli G, Licheri D, Marongiu F. Controlled vitamin K content diet for improving the management of poorly controlled anticoagulated patients: a clinical practice proposal. *Haemostasis* 1993;23:77-82.

Spencer AP, Carson DS, Crouch MA. Vitamin E and coronary artery disease. *Arch Intern.Med* 1999;159:1313-20.

Stabler SP, Lindenbaum J, Allen RH. Vitamin B-12 deficiency in the elderly: current dilemmas. *Am.J.Clin.Nutr.* 1997;66:741-9.

Stampfer MJ, Rimm EB. Epidemiologic evidence for vitamin E in prevention of cardiovascular disease. *Am.J.Clin.Nutr.* 1995;62:1365S-9S.

Stendig-Lindberg, G., Tepper, R., and Leichter, I. Trabecular bone density in a two year controlled trial of peroral magnesium in osteoporosis. *Magnesium Research* 6(2), 155-163. 1993.

Stephens NG, Parsons A, Schofield PM, Kelly F, Cheeseman K, Mitchinson MJ. Randomised controlled trial of vitamin E in patients with coronary disease: Cambridge Heart Antioxidant Study (CHAOS). *Lancet* 1996;347:781-6.

Stephensen CB, Alvarez JO, Kohatsu J, Hardmeier R, Kennedy JI, Jr., Gammon RB, Jr. Vitamin A is excreted in the urine during acute infection. *Am.J.Clin.Nutr.* 1994;60:388-92.

Sticher, O. Quality of Ginkgo preparations. *Planta Medica* 1993;59:2-11.

Sun E, Xu H, Liu Q, Zhou J, Zuo P, Wang J. The mechanism for the effect of selenium supplementation on immunity. *Biol.Trace Elem.Res.* 1995;48:231-8.

Suter PM. Effect of vitamin E, vitamin C, and beta-carotene on stroke risk. *Nutrition reviews* 2000;58:184-7.

Suzuki YJ, Tsuchiya M, Packer L. Thioctic acid and dihydrolipoic acid are novel

antioxidants which interact with reactive oxygen species [published erratum appears in Free Radic Res Commun 1992;17(2):155]. Free Radic.Res.Comm. 1991;15:255-63.

Sweetman SF, Strain JJ, McKelvey-Martin VJ. Effect of antioxidant vitamin supplementation on DNA damage and repair in human lymphoblastoid cells. Nutr Cancer 1997;27:122-30.

Talbott MC, Miller LT, Kerkvliet NI. Pyridoxine supplementation: effect on lymphocyte responses in elderly persons. Am.J.Clin.Nutr. 1987;46:659-64.

Tanaka K, Hashimoto T, Tokumaru S, Iguchi H, Kojo S. Interactions between vitamin C and vitamin E are observed in tissues of inherently scorbutic rats. J.Nutr. 1997;127:2060-4.

Taylor EW. Selenium and cellular immunity - Evidence that selenoproteins may be encoded in the +1 reading frame overlapping the human CD4, CD8, and HLA-DR genes. Biol.Trace Elem.Res. 1995;49:85-95.

Teegarden D, Weaver CM. Calcium supplementation increases bone density in adolescent girls. Nutr Rev. 1994;52:171-3.

Thomas JA. Drug-nutrient interactions. Nutr Rev 1995;53:271-82.

Tiidus P, Shephard RJ, Montelpare W. Overall intake of energy and key nutrients: data for middle-aged and older middle-class adults. Can.J.Sport.Sci. 1989;14:173-7.

Tikkanen MJ, Adlercreutz H. Dietary soy-derived isoflavone phytoestrogens - Could they have a role in coronary heart disease prevention? Biochemical Pharmacology 2000;60:1-5.

Tofler GH, Stec JJ, Stubbe I et al. The effect of vitamin C supplementation on coagulability and lipid levels in healthy male subjects. Thrombosis Research 2000;100:35-41.

Toh SY, Thompson GW, Basu TK. Riboflavin status of the elderly: dietary intake and FAD-stimulating effect on erythrocyte glutathione reductase coefficients. Eur J Clin Nutr 1994;48:654-9.

Torgerson DJ, Kanis JA. Cost-effectiveness of preventing hip fractures in the elderly population using vitamin D and calcium. Q.J.Med. 1995;88:135-9.

Tutüncü NB, Bayraktar M, Varli K. Reversal of defective nerve conduction with vitamin E supplementation in type 2 diabetes - A preliminary study. Diabetes Care 1998;21:1915-8.

U.S.Department of Agriculture, Agricultural Research Service. Data Tables: Results from

USDA's 1996 Continuing Survey of Food Intakes by Individuals and 1996 Diet and Health Knowledge Survey. ARS Food Surveys Research Group 97. Electronic Citation.

Uauy R, Olivares M, Gonzalez M. Essentiality of copper in humans. *Am.J.Clin.Nutr.* 1998;67:952S-9S.

Ubbink JB, Vermaak WJ, Bennett JM, Becker PJ, van Staden DA, Bissbort S. The prevalence of homocysteinemia and hypercholesterolemia in angiographically defined coronary heart disease. *Klin.Wochenschr.* 1991;69:527-34.

Ubbink JB. Homocysteine--an atherogenic and a thrombogenic factor? *Nutr Rev* 1995;53:323-5.

Underwood BA. Hypovitaminosis A: International programmatic issues. *J.Nutr.* 1994;124 Suppl.:1467S-72S.

Valenzuela A, Aspillaga M, Vial S, et al. Selectivity of silymarin on the increase of the glutathione content in different tissues of the rat. *Planta Medica* 1989;55:420-442.

Van Dam PS, Bravenboer B. Oxidative stress and antioxidant treatment in diabetic neuropathy. *Neurosci.Res.Comm.* 1997;21:41-8.

van der Beek EJ, Lowik MR, Hulshof KF, Kistemaker C. Combinations of low thiamin, riboflavin, vitamin B6 and vitamin C intake among Dutch adults. (Dutch Nutrition Surveillance System). *J.Am.Coll.Nutr.* 1994;13:383-91.

van der Wielen RP, de Wild GM, de Groot LC, Hoefnagels WH, van Staveren WA. Dietary intakes of energy and water-soluble vitamins in different categories of aging. *J Gerontol A Biol Sci Med Sci* 1996;51:B100-B107.

Vanfraechem JHP, Picalusa C, and Folkers K, Effects of CoQ10 on physical performance and recovery in myocardial failure, in *Biomedical and Clinical Aspects of Coenzyme Q*, Vol. 5, Folkers K, and Yamamura Y, Eds, Elsevier, Amsterdam, 1996, 379.

Vermeer G, Schurgers LJ. A comprehensive review of vitamin K and vitamin K antagonists. *Hematol.Oncol.Clin.North Am.* 2000;14:339-53.

Vermeer, C., Jie, K.-S. G., and Knapen, M. H. J. Role of vitamin K in bone metabolism. *Annual Review of Nutrition* 15, 1-22. 1995.

Vincent JB. Mechanisms of chromium action: Low-molecular-weight chromium-binding substance. *J.Am.Coll.Nutr.* 1999;18:6-12.

Volpe SL, Taper LJ, Meacham S. The relationship between boron and magnesium status and bone mineral density in the human: a review. *Magnes.Res.* 1993;6:291-6.

- Wald NJ, Watt HC, Law MR, Weir DG, McPartlin J, Scott JM. Homocysteine and ischemic heart disease: results of a prospective study with implications regarding prevention. *Arch.Intern.Med* 1998;158:862-7.
- Wang H, Zhang ZB, Wen RR, Chen JW. Experimental and clinical studies on the reduction of erythrocyte sorbitol-glucose ratios by ascorbic acid in diabetes mellitus. *Diabetes Res Clin Pract.* 1995;28:1-8.
- Ward M, McNulty H, McPartlin J, Strain JJ, Weir DG, Scott JM. Plasma homocysteine, a risk factor for cardiovascular disease, is lowered by physiological doses of folic acid. *Q.J.Med.* 1997;90:519-24.
- Watanabe H, Kakihana M, Ohtsuka S, Sugishita Y. Randomized, double-blind, placebo-controlled study of the preventive effect of supplemental oral vitamin C on attenuation of development of nitrate tolerance. *J.Am.Coll.Cardiol.* 1998;31:1323-9.
- Watson RR, Prabhala RH, Plezia PM, Alberts DS, Pike J, Chandra RK. Effect of beta-carotene on lymphocyte subpopulations in elderly humans: evidence for a dose-response relationship
- Weber C, Erl W, Weber K, Weber PC. Increased adhesiveness of isolated monocytes to endothelium is prevented by vitamin C intake in smokers. *Circulation* 1996;93:1488-92.
- Wellinghausen N, Kirchner H, Rink L. The immunobiology of zinc. *Immunol.Today* 1997;18:519-21.
- Welten DC, Kemper HC, Post GB, van Staveren WA. A meta-analysis of the effect of calcium intake on bone mass in young and middle aged females and males. *J.Nutr.* 1995;125:2802-13.
- Werler MM, Hayes C, Louik C, Shapiro S, Mitchell AA. Multivitamin supplementation and risk of birth defects. *Am.J.Epidemiol.* 1999;150:675-82.
- Wilkinson IB, Megson IL, MacCallum H, Sogo N, Cockcroft JR, Webb DJ. Oral vitamin C reduces arterial stiffness and platelet aggregation in humans. *J.Cardiovasc.Pharmacol.* 1999;34:690-3.
- Wilson CW, Greene M, Loh HS. The metabolism of supplementary vitamin C during the common cold. *J Clin Pharmacol* 1976;16:19-29.
- Wirell MP, Wester PO, Stegmayr BG. Nutritional dose of magnesium in hypertensive patients on beta blockers lowers systolic blood pressure: A double- blind, cross- over study. *J.Intern.Med.* 1994;236:189-95.
- Witteman JCM, Grobbee DE, Derkx FHM, Bouillon R, De Bruijn AM, Hofman A. Reduction of blood pressure with oral magnesium supplementation in women with mild to

moderate hypertension. *Am.J.Clin.Nutr.* 1994;60:129-35.

Yang TTC, Koo MWL. Inhibitory effect of Chinese green tea on endothelial cell-induced LDL oxidation. *Atherosclerosis* 2000;148:67-73.

Yeum KJ, Shang F, Schalch W, Russell RM, Taylor A. Fat-soluble nutrient concentrations in different layers of human cataractous lens. *Curr.Eye Res.* 1999;19:502-5.

Yochum L, Kushi LH, Meyer K, Folsom AR. Dietary flavonoid intake and risk of cardiovascular disease in postmenopausal women. *Am J Epidemiol.* 1999;149:943-9.

Ziegler D, Gries FA. Alpha-lipoic acid in the treatment of diabetic peripheral and cardiac autonomic neuropathy. *Diabetes* 1997;46 Suppl 2:S62-S66.

Ziegler D, Reljanovic M, Mehnert H, Gries FA. alpha-lipoic acid in the treatment of diabetic polyneuropathy in Germany: Current evidence from clinical trials. *Exp.Clin.Endocrinol.Diabetes* 1999;107:421-30