

## NanoCoQ10<sup>®</sup>

Bhagavan HN, Chopra RK, Craft NE, Chitchumroonchokchai C, Failla ML. Assessment of coenzyme Q10 absorption using an in vitro digestion-Caco-2 cell model. *Inter J of Pharmaceutics* 333 (2007) 112–117.

Terao K, Nakata D, Fukumi H, Schmid G, Arima H, Hirayama F, Uekama K. Enhancement of oral bioavailability of coenzyme Q10 by complexation with gamma-cyclodextrin in healthy adults. *Nutrition Research* 26 (2006) 503– 508.

Craft, N.E., Tucker, R.T., Chitchumroonchokchai, C., Failla, M.L., Bhagavan, H.N. Assessment of Coenzyme Q10 Bioavailability Using a Coupled in vitro Digestion/Caco-2 Human Intestinal Cell Model. *FASEB Journal*. 2005; 19(4): Abstract #281.6, A449.

Muta-Takada K, Terada T, Yamanishi H, Ashida Y, Inomata S, Nishiyama T, Amano S. Coenzyme Q10 protects against oxidative stress-induced cell death and enhances the synthesis of basement membrane components in dermal and epidermal cells. *Biofactors*. 2009 Sep-Oct;35(5):435-41.

Abdin AA, Hamouda HE. Mechanism of the neuroprotective role of coenzyme Q10 with or without L-dopa in rotenone-induced parkinsonism. *Neuropharmacology*. 2008 Sep 10.

Cleren C, Yang L, Lorenzo B, Calingasan NY, Schomer A, Sireci A, Wille EJ, Beal MF. Therapeutic effects of coenzyme Q10 (CoQ10) and reduced CoQ10 in the MPTP model of Parkinsonism. *J Neurochem*. 2008 Mar;104(6):1613-21.

Haas RH. The evidence basis for coenzyme Q therapy in oxidative phosphorylation disease. *Mitochondrion*. 2007 Jun;7 Suppl:S136-45.

Pepe S, Marasco SF, Haas SJ, Sheeran FL, Krum H, Rosenfeldt FL. Coenzyme Q10 in cardiovascular disease. *Mitochondrion*. 2007 Jun;7 Suppl:S154-67.

Rosenfeldt FL, Haas SJ, Krum H, Hadj A, Ng K, Leong JY, Watts GF. Coenzyme Q10 in the treatment of hypertension: a meta-analysis of the clinical trials. *J Hum Hypertens*. 2007 Apr;21(4):297-306.

Storch A, Jost WH, Vieregge P, Spiegel J, Greulich W, Durner J, Müller T, Kupsch A, Henningsen H, Oertel WH, Fuchs G, Kuhn W, Niklowitz P, Koch R, Herting B, Reichmann H; German Coenzyme Q(10) Study Group. Randomized, double-blind, placebo-controlled trial on symptomatic effects of coenzyme Q(10) in Parkinson disease. *Arch Neurol*. 2007 Jul;64(7):938-44.

Tiano L, Belardinelli R, Carnevali P, Principi F, Seddaiu G, Littarru GP. Effect of coenzyme Q10 administration on endothelial function and extracellular superoxide dismutase in patients

with ischaemic heart disease: a double-blind, randomized controlled study. *Eur Heart J*. 2007 Sep;28(18):2249-55.

Ishrat T, Khan MB, Hoda MN, Yousuf S, Ahmad M, Ansari MA, Ahmad AS, Islam F. Coenzyme Q10 modulates cognitive impairment against intracerebroventricular injection of streptozotocin in rats. *Behav Brain Res*. 2006 Jul 15;171(1):9-16.

LeWitt PA. Neuroprotection for Parkinson's disease. *J Neural Transm Suppl*. 2006;(71):113-22.

Sander S, Coleman CI, Patel AA, Kluger J, White CM. The impact of coenzyme Q10 on systolic function in patients with chronic heart failure. *J Card Fail*. 2006 Aug;12(6):464-72.

Ashida Y, Yamanishi H, Terada T, Oota N, Sekine K & Watabe K (2005) CoQ10 supplementation elevates the epidermal CoQ10 level in adult hairless mice. *Biofactors* 25(1-4):175-8.

Andrich J, Saft C, Gerlach M, Schneider B, Arz A, Kuhn W, Muller T. Coenzyme Q10 serum levels in Huntington's disease. *J Neural Transm Suppl*. 2004;(68):111-6.

Hebert LE, Bienias JL, Bennett DA, Evans DA, and Scherr PA. Year 2000 Prevalence of Alzheimer Disease in the United States—Reply. *Arch Neurol*. 2004;61:803.

Shults CW, Flint Beal M, Song D, Fontaine D. Pilot trial of high dosages of coenzyme Q10 in patients with Parkinson's disease. *Exp Neurol*. 2004 Aug;188(2):491-4.

Beal MF, Shults CW. Effects of Coenzyme Q10 in Huntington's disease and early Parkinson's disease. *Biofactors*. 2003;18(1-4):153-61.

Muller T, Buttner T, Gholipour AF, Kuhn W. Coenzyme Q10 supplementation provides mild symptomatic benefit in patients with Parkinson's disease. *Neurosci Lett*. 2003 May 8;341(3):201-4.

Shults CW. Coenzyme Q10 in neurodegenerative diseases. *Curr Med Chem*. 2003 Oct;10(19):1917-21.

Beal MF. Coenzyme Q10 as a possible treatment for neurodegenerative diseases. *Free Radic Res*. 2002 Apr;36(4):455-60.

Hodgson JM, Watts GF, Playford DA, Burke V, Croft KD. Coenzyme Q10 improves blood pressure and glycaemic control: a controlled trial in subjects with type 2 diabetes. *Eur J Clin Nutr*. 2002 Nov;56(11):1137-42.

Shults CW, Oakes D, Kieburtz K, Beal MF, Haas R, Plumb S, Juncos JL, Nutt J, Shoulson I, Carter J, Kompoliti K, Perlmutter JS, Reich S, Stern M, Watts RL, Kurlan R, Molho E, Harrison M, Lew M; Parkinson Study Group. Effects of coenzyme Q10 in early Parkinson disease: evidence of slowing of the functional decline. *Arch Neurol*. 2002 Oct;59(10):1541-50.

Beal MF. Coenzyme Q10 administration and its potential for treatment of neurodegenerative diseases. *Biofactors*. 1999;9(2-4):261-6.

Hoppe U, Bergemann J, Diembeck W, Ennen J, Gohla S, Harris I, Jacob J, Kielholz J, Mei W, Pollet D, Schachtschabel D, Sauermann G, Schreiner V, Stüb F, Steckel F. Coenzyme Q10, a cutaneous antioxidant and energizer. *Biofactors*. 1999;9(2-4):371-8.

Koroshetz WJ, Jenkins BG, Rosen BR, Beal MF. Energy metabolism defects in Huntington's disease and effects of coenzyme Q10. *Ann Neurol*. 1997 Feb;41(2):160-5.

Baggio E, Gandini R, Plancher AC, et al. Italian multi-center study on the safety and efficacy of Coenzyme Q10 as adjunctive therapy in heart failure. *Co Q10 Drug Surveillance Investigators. Molecular Aspects in Medicine* 1994;15(Suppl.):S287-94.

Chen YF, Lin YS, and Wu SC. Effectiveness of coenzyme Q10 on myocardial preservation during hypothermic cardioplegic arrest. *Journal of Thoracic and Cardiovascular Surgery* 1994;107:242-47.

Rim EB, Stampfer MJ, Ascherio A, et al. Vitamin E consumption and the risk of coronary heart disease in men. *New England Journal of Medicine* 1993;328(20):1450-56.

Digiesi V, Cantini F, Bisi G, et al. Mechanisms of action of Coenzyme Q10 in essential hypertension. *Current Therapeutic Research* 1992;51:668-72.

Poggesi L, Galanti G, Comeglio M, et al. Effect of Coenzyme Q10 on left ventricular function in patients with dilative cardiomyopathy: a medium-term randomized double-blind study versus placebo. *Current Therapeutic Research* 1991;49:878-86.