

ReishiMax GLp®

Chang HM, But RP (eds.). *Pharmacology and Applications of Chinese Materia Medica*, 1. Singapore: World Scientific, pp. 642-653, 1986.

Chang, H. M. and But, R. P. (eds.) (1986). *Pharmacology and Application of Chinese Materia Medica*, 1. Singapore: World Scientific, pp.642-653.

Chen, W.-C., Hau, D.-M. and Lee, S.-S. (1995). Effects of Ganoderma lucidum and Krestin on Cellular Immunocompetence in gamma-Ray-irradiated Mice. *American Journal of Chinese Medicine*, Vol. XXIII, 1, pp. 71-80.

Chiang, B.L. et al. ReishiMax improves immune function in Balb/c mice. Manuscript in preparation.

Chinese Medicine Standardization & Certification Project Team. *Monograph on Lingzhi*. University of Hong Kong (HKU), 2001.

Department of Health, Taiwan, Republic of China. April 8, 2002.

Horner WE, Helbling A, Lehrer SB. Basidiomycete allergens: comparison of three Ganodermataceae species. *Allergy (Copenhagen)* 1993;48:110-116.

Hsu, H. Y., Chen, Y. P., Shen, S. J. et al. (1986). *Oriental Materia Medica: A Concise Guide*. Long Beach, CA: Oriental Healing Arts Institute, pp.640-641.

Institute for Natural Products Research. *Natural Dietary Supplements: A Desktop Reference*. “Reishi”, 1998.

Kohda H, et al. The biologically active constituents of Ganoderma lucidum (Fr.) Karst. Histamine release-inhibitory triterpenes. *Chemical & Pharmaceutical Bulletin* 1985;33(4):1376-74.

Kupin, V. (1992). A new biological response modifier—Ganoderma lucidum—and its application in oncology, in: The 4th International Symposium on Ganoderma lucidum, Hyatt Regency hotel, June 10, 1992, Seoul, Korea, Program and Abstracts, pp. 36-39.

Lei L, Lin Z, Chen Q, Li R, He Y. Antagonistic effect of Ganoderma lucidum polysaccharides on the immunosuppressive response induced by cyclosporin A, hydrocortisone and antitumor agents. *Chinese J Pharmacol Toxicol* 1993;7(3):183-185.

Lieu, C. W., Lee, S. S. and Wang, S. Y. (1992). The effect of Ganoderma lucidum on induction of differentiation in leukemic U937 cells. *Anticancer Research* 12:1211-1216.

Lu, Z. W. and Lin, Z. B. (1994). Antagonistic Effect of Ganoderma polysaccharides peptide on inhibition of immune response caused by repetitive in vivo treatments of

morphine, in: '94 International Symposium on Ganoderma Research, October 24-26, 1994, Beijing Medical University, Beijing , China, Program and Abstracts, p. 82.

Ma J, Chang M, Chang J, Sun, H, et al. New lanostanoids from the mushroom Ganoderma lucidum. *Journal of Natural Products* 2002;65(1):72-75.

Shen Nong Ben Cao Jing. Shen Yang: Liao Ning Science and Technology Press, 1997.

Shimizu A, Okuda R, Wada N, et al. Isolation of an inhibitor of platelet aggregation from a fungus, ganoderma lucidum. *Chemical and Pharmaceutical Bulletin* 1985;33:3012-3015.

Teow SS. Effective dosage of Ganoderma nutriceuticals in the treatment of various ailments, in: 1996 Taipei International Ganoderma Research Conference, Abstracts, Taipei International Convention Center, Taipei, Taiwan, Aug. 14-15, 1996, paper 2-2.

Wang SY, et al. The antitumor effect of Ganoderma lucidum is mediated by cytokines released from activated macrophages and T lymphocytes. *International Journal of Cancer* 1997;70(6):699-705.

Wang YY, et al. Studies of immuno-modulating and antitumor activities of Ganoderma lucidum (Reishi) polysaccharides: Functional and proteomic analyses of a fucose-containing glycoprotein fraction responsible for the activities. *Bioorganic & Medicinal Chemistry* 2002;10:1057-1062.

Yang QY, Wang, M. M. (1996). The anti-aging effects of Ganoderma essence, in: 1996 Teipei International Ganoderma Research Conference, Taipei International Convention Center (TICC), August 15-15, 1996, Abstracts, Special Lecture.

Ying, J., Mao, X., Ma, Q. et al. (1987). Icons of Medicinal Fungi from China. Beijing, China: Science Press, p. 145.

Zhang Q, Lin Z. The antitumor activity of Ganoderma lucidum (Curt.:Fr.) P. Karst. Ling Zhi polysaccharides is related to tumor necrosis factor-a and interferon-?. *Int J Med Mushrooms* 1999;1:207-215.